

40	6	((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id)) same (select\$3 with attribut\$2 with type\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:08
41	3	((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id)) and ((select\$3 with attribut\$2 with type\$1) same (pop-up or drop-down))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:10
42	550	(select\$3 near5 (identifer\$1 or id or name\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:15
43	2	((select\$3 near5 (identifer\$1 or id or name\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))) and (((select\$3 or defin\$3) with attribut\$2) same (popup or drop-down))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:13
44	169	((select\$3 near5 (identifer\$1 or id or name\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))) and ((select\$3 or defin\$3) with attribut\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:13
45	2	((select\$3 near5 (identifer\$1 or id or name\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))) and ((select\$3 or defin\$3) with attribut\$2)) and (sample near5 template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:14
46	41	((select\$3 near5 (identifer\$1 or id or name\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))) and ((select\$3 or defin\$3) with attribut\$2)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:15
47	590	(select\$3 near5 (identifer\$1 or id or name\$1 or field\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:15
48	26	((select\$3 near5 (identifer\$1 or id or name\$1 or field\$1)) same ((creat\$3 or generat\$3) with (templat\$2 or table\$1) with (identifer\$1 or name\$1 or id))) and 707/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 19:16